



enfoldsystems

# Constructive Rants

Plone Symposium 2013:  
Midwest @ Oshkosh

Alan Runyan

June 5, 2013



enfoldsystems

# What is Plone

- Open Source project
- Application
- Ecosystem of software
- Community



# Open Source

- Open Source is now a primary business model which has not been niche in > 5 years
- Times, They Are A Changing
  - The “Linux” generation (35-45) was eager to collaborate and make the world a better place
  - The “mobile” generation (24-30) is more eager to leverage Open Source as a tool than a community.
- Application’ s, such as Sentry and Datadog are virtually Open Source
  - Most/all of the source is open; company hosts/manages the product
  - Any other model is suspect if integrating with out FOSS software.
- Nearly all customers will move to some version of “As A Service”. Whether its Infrastructure, Application, Platform.
  - Systems will always get more complicated; never can it get less complicated as expectations of users increase (as they use Google, Office 365, etc)



enfoldsystems

# Open Source

- Plone is successful due to Open Source model
- Open Source is one of the best ways to engage with global peers
- Recruiters find Open Source very useful measurement of candidates skills
- Not going anywhere. Open Source for commodity services is the default and there will be no other model going forward. Open stack will be the primary cloud platform in 10 years. AWS and VMWare will be minority of installation base.



# the Application

- Plone popular due to ready-to-use App, w/ UI and UX
  - e.g. Django popularity due to “Admin UI”
- UI/UX technical are evolving but polish and usability not so much
  - Infrequently used tabs on content ? Rules and Sharing.
  - Rules shows up even if not enabled
  - Inconsistent icon usage in “Actions” menu; need default.
- Accessibility champion? Unsure what the feedback loop is and this will become even more challenging with JS. This is very important for a large group of high education and government. No one really owns the Accessibility market. Plone should.
- Needs “ready to go” integrations or products. That is how people judge applications. Whether its Google Apps Marketplace or Windows Store.



# the Application

- Installation could be modernized
- Visibility into any unexpected behavior
  - `_vh_` story & link integrity
  - <http://host/content>
  - [http://host/\\$corporate/content](http://host/$corporate/content)
  - `$corporate` introduced to enforce Shibboleth
- IMHO requires Plone, the Organization, to have some central infrastructure which each site can integrate into; the entry point currently is not
- Vendor badges associated with Add-ons. Give companies visibility/exposure to users – makes them motivated. Namespace is for nerds.



# Installation Bliss

Integrations

APIs

Agent

Embeds

## Installation instructions

Mac OS X

Windows

Debian Squeeze

Debian Lenny

Ubuntu

Amazon Linux

CentOS 6

CentOS 5

SmartOS

Chef

Puppet

From Source

### Installing on Mac OS X

1 The Datadog agent can be installed on OS X as easily as:

```
DD_API_KEY=[REDACTED] bash -c "$(curl -L http://dtdg.co/dd-agent)"
```

The agent will be installed in its own sandbox located at `~/.datadog-agent`.

2 To set up `launchd` to run the agent automatically at login:

```
mkdir -p ~/Library/LaunchAgents  
cp ~/.datadog-agent/launchd/com.datadoghq.Agent.plist ~/Library/LaunchAgents/  
launchctl load -w ~/Library/LaunchAgents/com.datadoghq.Agent.plist
```



# Missing Features

- ease-of-install
- Centralized communication mechanism / notification to site administrators
  - plone.home like functionality
    - alert users of package updates; security updates
    - wrapper around pypi searches
    - Facilitate
- plone.app.theming
  - Ploud theme gallery like thing
  - less integration with plone.app.theming
- Auditing
  - every action being written to a logging level
  - scripts to post the auditing information into some store
  - basic scripts to analyze store





# the EcoSystem

- **collective.cover**
  - In production and actively updated
  - Page layout mechanism allows drag-n-drop of “tiles”
  - Majority of “big issues” have been identified
  - Great example of putting in the extra work and open sourcing project that is useful for the broader community
- **collective\_firebase**
  - Real-time javascript integration with Plone
  - Provides basic infrastructure
  - Has a single out-of-the-box feature “Notifications”
- **collective.pwexpiry**
  - Provides password expiration policies and notification of users before passwords expire
- **collective.portlet.pythonscript**
  - Centrally manage Python Scripts and expose them as portlets
  - Missing “templates” which to render existing results currently ul & li
  - Expecting to have tile
- **Getsentry (enfold.getsentry)**



# collective.cover

You are here: [Home](#) / Example Cover

View Edit Compose **Layout** Rules Sharing

Row Column Basic Carousel Collection Content Body Embedding File Image Link List Rich Text

Basic Tile	List Tile
Basic Tile	List Tile

Export layout Saved



# collective\_firebase



enfoldsystems



admin (4) ▾

Search Site  Search

only in current section

Home News

You are here: Home / Example Cove

View Edit Compose Layout

## Welcome to Plone

Congratulations! You have succes

Jun 05, 2013 11:51 AM

Please drag&drop some content he

Manage portlets

Actions ▾ State: Private ▾

Enter task description...

Add Task

Jun 5, 2013 test



Jun 5, 2013 Work is being done - Make an adjust test



Jun 5, 2013 Hello 1




Jun 5, 2013 Hello





# getsentry



## Trends

15 minutes 60 minutes **24 hours**

## New Events

15 minutes 60 minutes **24 hours**

**533** **OFS.Traversable.unrestrictedTraverse**  
Exception  
just now CDOT Public Website Rackspace exception

**487** **script.getCaptchaImage**  
Exception  
1 hour ago CDOT Public Website Rackspace exception

**10** **ZPublisher.BaseRequest.traverse**  
Exception  
1 hour ago CDOT Public Website Rackspace exception

No events to show.

# getsentry



enfoldsystems

533

OFS.Traversable.unrestrictedTraverse

Exception

1 minute ago exception



← Newer Event

Event at June 5, 2013, 7:59 p.m. UTC

Older Event ►

Tags Exception Request User Additional Data

## Tags

level = error logger = exception server\_name = [redacted] browser = Chrome 26.0.1410.64

os = Windows

url = https://[redacted]s-releases/06-2013/portal\_factory/NewsItem/resolveuid/cfd94914bee28506f4c94050f5205fa9

user\_email = [redacted]

Exception (most recent call last)

Raw

AttributeError

cfd94914bee28506f4c94050f5205fa9

## Aggregate

Tags

Similar Events

AGGREGATE DETAILS

Status: Unresolved

First Seen: Dec. 20, 2012

Reopened At: Jan. 9, 2013

Last Seen: just now

This event is **not publicly visible**.

[Change](#)

ACTIONS

[Mute Event](#)

[Remove Event Data](#)

BROWSER

254 [Chrome 21.0.1180.89](#)

127 [Chrome 26.0.1410.64](#)

74 [Microsoft Internet Explorer 8.0](#)

33 [Chrome 22.0.1229.79](#)

4 [Firefox 7.0.1](#)

2 [Chrome 25.0.1364.172](#)

2 [Firefox 9.0.1](#)

1 [Firefox 20.0](#)

URL

65 [redacted]  
ev [redacted]  
p [redacted]  
d [redacted]  
fa9  
43 [redacted]



# getsentry

```
ZPublisher/Publish.py ? in publish
126.         request, bind=1)

ZPublisher/mapply.py ? in mapply
77.         if debug is not None: return debug(object,args,context)

ZPublisher/Publish.py ? in call_object
46.         result=apply(object,args) # Type s<cr> to step into published object.

opt/plone/buildout/cache/eggs/Products.CMFPlone-4.2.1.1-py2.7.egg/Products/CMFPlone/FactoryTool.py ? in
__call__
441.         obj = temp_obj.restrictedTraverse('/'.join(stack))

OFS/Traversable.py ? in restrictedTraverse
317.         return self.unrestrictedTraverse(path, default, restricted=True)

OFS/Traversable.py ? in unrestrictedTraverse
285.         raise e
```

## Request

Replay this request

**URL:** [redacted]ews-releases/06-2013/portal\_factory/News  
Item/resolveuid/cfd94914bee28506f4c94050f5205fa9

**Method:** GET

**Query:**

**Headers:**

CONNECTION_TYPE	close
GATEWAY_INTERFACE	CGI/1.1
HTTP_ACCEPT	*/*

[Expand Context \(23 hidden\)](#)

User





# getsentry

## User

ID:	[REDACTED]
Email:	[REDACTED]
Data	{'is_authenticated': 1}

## Additional Data

filename															
lineno	1														
message	Exception														
pathname															
process	20876														
processName	MainProcess														
sentry.interfaces.Http	<table><tr><td>data</td><td></td></tr><tr><td>headers</td><td><table><tr><td>CONNECTION_TYPE</td><td>close</td></tr><tr><td>GATEWAY_INTERFACE</td><td>CGI/1.1</td></tr><tr><td>HTTP_ACCEPT</td><td>*/*</td></tr></table><p><a href="#">Expand Context (23 hidden)</a></p></td></tr><tr><td>host</td><td>127.0.0.1</td></tr><tr><td></td><td><p><a href="#">Expand Context (3 hidden)</a></p></td></tr></table>	data		headers	<table><tr><td>CONNECTION_TYPE</td><td>close</td></tr><tr><td>GATEWAY_INTERFACE</td><td>CGI/1.1</td></tr><tr><td>HTTP_ACCEPT</td><td>*/*</td></tr></table> <p><a href="#">Expand Context (23 hidden)</a></p>	CONNECTION_TYPE	close	GATEWAY_INTERFACE	CGI/1.1	HTTP_ACCEPT	*/*	host	127.0.0.1		<p><a href="#">Expand Context (3 hidden)</a></p>
data															
headers	<table><tr><td>CONNECTION_TYPE</td><td>close</td></tr><tr><td>GATEWAY_INTERFACE</td><td>CGI/1.1</td></tr><tr><td>HTTP_ACCEPT</td><td>*/*</td></tr></table> <p><a href="#">Expand Context (23 hidden)</a></p>	CONNECTION_TYPE	close	GATEWAY_INTERFACE	CGI/1.1	HTTP_ACCEPT	*/*								
CONNECTION_TYPE	close														
GATEWAY_INTERFACE	CGI/1.1														
HTTP_ACCEPT	*/*														
host	127.0.0.1														
	<p><a href="#">Expand Context (3 hidden)</a></p>														
sentry.interfaces.User	<table><tr><td>email</td><td>[REDACTED]</td></tr><tr><td>id</td><td>[REDACTED]</td></tr></table>	email	[REDACTED]	id	[REDACTED]										
email	[REDACTED]														
id	[REDACTED]														



# collective\_firebase

Open the home page

+ All

- All

Import JSON

Export JSON



Data



Auth



Security



Simulator



Analytics

## symposium

### symposium

#### symposium

#### users

#### admin

#### tasks

#### -lwKgp4jbkJSQSF0Vjg

content: "Hello"

from: "admin"

reason: "Added by privileged console script"

ts: 1370458639264.97

#### -lwKgr-KJcfC2UU7KhzN

content: "Hello 1"

from: "admin"

reason: "Added by privileged console script"

ts: 1370458647202.394

#### -lwKh\_xHuTmpeN-TKsHQ

### Legend

- Changed
- Added
- Deleted
- Moved





# the Project

- Which JS framework
  - Zepto, JQuery, Ember, Angular
- UI/UX technical are evolving but polish and usability not so much
  - Infrequently used tabs on content ? Rules and Sharing.
  - Rules shows up even if not enabled
  - Inconsistent icon usage in “Actions” menu; need default.
- Accessibility champion? Unsure what the feedback loop is and this will become even more challenging with JS
- Need zen guidelines
  - If there is only 1 implementation – don’ t add indirectly.
  - I Like RealTime JS because no one in their right mind would add a abstraction around “pluggable realtime js libraries” ;- ) you pick one and stick with it.

the Community



enfoldsystems

**You are them**





# Can you help?

- Plone
  - Pick something that interests you
    - UI / UX / Frontend developers who care
    - Javascript / CSS engagement with framework team
  - Be realistic with your time; if you can help – help. If not just do what you can during sprint.
- collective.cover
  - Need people to use it
  - Write documentation
  - Fix bugs – a new release is planned to be released by end of symposium sprint.
- Realtime JS?
  - Extend collective\_firebase? Firebase vs. Meteor?
  - Ideas: Activity streams, Task Assignment, “contentrules” integration



enfoldsystems

# Q&A

- Any Questions?
- More information:
  - [www.plone.org](http://www.plone.org)
  - [www.enfoldsystems.com](http://www.enfoldsystems.com)